

ESPRESSO COFFEE machine
COFFEE Grinder
Milk Cooler

2023

Horeca Solutions OU
Estonia Tallinn

MINI SS COFFEE GRINDER



Grinder STEEL-1 shining

Grinder STEEL-1 black

Dimension hwd	340x120x225
Blades flat	d 54 mm
Body	Inox
Hopper capacity	250 gr
Motor power	250 wt
Motor speed	700 rpm
Net weight	5 kg
Production	5 kg/hour



Grinder STEEL-2 shining

Grinder STEEL-2 black

Dimension hwd	340x120x225
Blades Conical	d 38 mm
Body	Inox
Hopper capacity	250 gr
Motor power	175 wt
Motor speed	
Net weight	5 kg
Production	3 kg/hour

Options

Timer

MINI AL COFFEE GRINDERS



Grinder I-MINI-1 Black

Grinder I-MINI-1 AL Polished

Dimension hwd	310x125x230
Blades flat	d 54 mm
Body	Al
Hopper capacity	250 gr
Motor power	250 wt
Motor speed	750 rpm
Net weight	3,5 kg
Production	5 kg/hour



Grinder I-MINI-2 Black

Grinder I-MINI-2 AL Polished

Dimension hwd	310x125x230
Blades Conical	d 38 mm
Body	Al
Hopper capacity	250 gr
Motor power	175 wt
Motor speed	1200 rpm
Net weight	3,5 kg
Production	3 kg/hour

Options

Timer

H64 COFFEE GRINDERS



Grinder H64

Dimension hwd	355x140x215
Blades flat	d 64 mm
Blades life time	600 kg
Body	Al
Hopper capacity	300 gr
Motor power	245 wt
Motor speed	1650 rpm
Net weight	7,0 kg
Production	2,5 g/sec



Display	YES
Display control:	- grinding time - values setting - cups counts

DREAM coffee machine



DREAM ONE Black
DREAM ONE Polished AL

Dimension lhd	270x360x315
Water tank	2 lts
Weight	12 kg
Power	1052 wt
Coffee thermostat	electronic 96C
Thermoblock	1 pc



DREAM PID Black
DREAM PID Polished AL

Dimension lhd	270x360x315
Water tank	2 lts
Weight	12 kg
Power	1052 wt
Coffee thermostat	electronic 96C
Thermoblock	2 pc



HORECA SOLUTIONS OU
Estonia, 11912, Tallinn
VAT EE102075344

www.horecasolutions.eu
sales@horecasolutions.eu
tel. +372 51905766

Steel coffee machine



Steel UNO

Dimension lhd	270x360x315
Water tank	2 lts
Weight	12 kg
Power	1052 wt
Coffee thermostat	electronic 96C
Thermoblock	1 pc



Steel DUO

Dimension lhd	270x360x315
Water tank	2 lts
Weight	12 kg
Power	1052 wt
Coffee thermostat	electronic 96C
Thermoblock	2 pc

Steel PID coffee machine



Steel UNO PID

Dimension lhd	270x360x315
Water tank	2 lts
Weight	12 kg
Power	1052 wt
Coffee thermostat	electronic 96C
Thermoblock	1 pc



Steel DUO PID

Dimension lhd	270x360x315
Water tank	2 lts
Weight	12 kg
Power	1052 wt
Coffee thermostat	electronic 96C
Thermoblock	2 pc



Black&Wood



Inox&Wood

HORECA SOLUTIONS OU
Estonia, 11912, Tallinn
Padriku 3/2

www.horecasolutions.eu
sales@horecasolutions.eu
tel. +372 51905766

PID



- Adjustable electronic PID coffee group temperature control in one-degree increments.
- Electronic steam control.
- Stand-by option available.
- Coffee dose timer.
- Programmable pre-infusion. (0 to 5 seconds).
- Select the temperature of the steam group via the display. From 110°C to 165°C.
- Coffee counter for the 2 selections, partial and total (4 counters).
- Alarms (5): Water/coffee ratio, coffee or steam gauge, coffee group or steam. (Display indicates error type).

BABY T ZERO coffee machine



W/h/d dimensions (mm)	350/380/430
Boiler power (230 v)	2297W 50-60Hz
Coffee group power (w)	1000
Weight (kg)	32
Steam boiler capacity (l)	2,5
Steam (joystick)	1
Water (with solenoid)	1
Heating element in	stainless steel
Thermal stability	+/- 1,5°C
Coffee temperature pid control	0,1°C precision
Steam temperature pid control	1°C precision
Digital multifunction display	
Pre-infusion	0,1s precision

HORECA SOLUTIONS OU
Estonia, 11912, Tallinn
Padriku 3/2

www.horecasolutions.eu
sales@horecasolutions.eu
tel. +372 51905766

Milk Cooler



Milk Cooler

Product features:

- Ideal as milk cooler for coffee machines
- Table top cooler with holes, bushings and plugs
- 6 holes - 2 in the top, 2 on each side
- Hinged glass door
- Adjustable feet
- Fan assisted cooling
- LED interior light



6 pre-drilled valves for milk hoses



Lock

Design & Material	
Door No & Type	1 hinged self-closing glass door
Tempered glass	Yes
Door Reversible	No
Shelves No & Type	2 wire shelves black
Shelf Color	Black
Shelf Dimensions	275 x 205 / 135 mm
Canopy Type	-
Canopy Light	-
Feet / Legs	4 adjustable feet
Exterior Finish	Black
Interior Finish	Coated aluminium, black
Interior Light	LED
Lock	Yes

Measures & Content	
Temperature Range °C	2 to 10
Climate Class	4
Gross / Net Weight kg	25 / 23
Gross / Net Volume l	22 / 20

Cooling & Functions	
Type of Controller	Mechanical
Type of Cooling	Fan assisted
Type of Defrost	Automatic
Refrigerant	R600a
Refrigerant Charge g	20
GWP	3

Power & Consumption	
Energy Classification	C
Energy Consumption kWh/24h	0,78
Annual Energy Consumption kWh/year	285
Energy Efficiency Index	24
EEL Volume l	30
Input Power W	60
Voltage / Frequency V/Hz	220-240/50
Noise Level db(A)	44
Thermometer	No

Dimensions	
Internal Dimension (WxDxH) mm	280 x 271 x 380
External Dimension (WxDxH) mm	356 x 406 x 491
Packed Dimension (WxDxH) mm	400 x 450 x 520
40ft Container Load pcs	580

Price 287,00 +VAT

Horeca Solutions OU
Tallinn, 11912, Estonia
VAT EE102075344

sales@horecasolutions.eu
www.horecasolutions.eu
tel. +372 51905766

HORECA SOLUTIONS OU
Estonia, 11912, Tallinn
Padriku 3/2

www.horecasolutions.eu
sales@horecasolutions.eu
tel. +372 51905766

HORECA SOLUTIONS OU
Estonia, 11912, Tallinn
Padriku 3/2

www.horecasolutions.eu
sales@horecasolutions.eu
tel. +372 51905766